




## Dustcontrol rørsystem – prislister 2011

Rør (stål)									
	Art.nr.	Dimension	Materiale	Ø	l (m)	t	kg/m	Enhed	Pris pr. stk/m DKK
	3071	Ø50	Stål <sup>1</sup>	50,8	3	1,5	1,82	m	90,-
	3340*	Ø50	Stål <sup>1</sup>	50,8	0,135	1,5	1,82	stk.	45,-
	3211	Ø50	Rustfast stål <sup>2</sup>	50,8	3	1,0	1,30	m	355,-
	3004	Ø76	Stål <sup>1</sup>	76	3	1,5	2,58	m	115,-
	3341*	Ø76	Stål <sup>1</sup>	76	0,135	1,5	2,58	stk.	60,-
	3212	Ø76	Rustfast stål <sup>2</sup>	76	3	1,0	1,90	m	485,-
	3039	Ø108	Stål <sup>1</sup>	108	3	1,5	3,94	m	175,-
	3342*	Ø108	Stål <sup>1</sup>	108	0,135	1,5	3,94	stk.	145,-
	3267	Ø108	Rustfast stål <sup>2</sup>	108	3	2,0	5,20	m	645,-
	3227	Ø159	Rustfast stål <sup>2</sup>	159	3	1,0	4,00	m	1.010,-
	3060	Ø159	Stål <sup>1</sup>	159	3	2,0	7,74	m	285,-

\*) Ved montering af 45°s bøjning på nedstik direkte fra grenrør.

90° bøjninger (stål)										
	Art.nr.	Dimension	Materiale	Ø	r	b	t	h	kg	Pris DKK
	3310	Ø50	Stål <sup>1</sup>	50,8	120	75	1,5	220	0,60	120,-
	3314	Ø50	Rustfast stål <sup>2</sup>	50,8	120	75	1,5	220	0,60	265,-
	3309	Ø50	Stål <sup>1</sup>	50,8	85	75	1,5	185	0,30	110,-
	3117 <sup>6</sup>	Ø50	Stål <sup>1</sup>	50,8	50	-	1,5	185	0,30	360,-
	3118 <sup>6</sup>	Ø50	Stål <sup>1</sup>	76	65	-	1,5	150	0,55	400,-
	3311	Ø76	Stål <sup>1</sup>	76	160	115	1,5	313	1,30	160,-
	3316	Ø76	Rustfast stål <sup>2</sup>	76	160	115	1,5	313	1,30	450,-
	3319	Ø108	Stål <sup>1</sup>	108	160	165	2,0	380	3,00	475,-
	3320	Ø108	Rustfast stål <sup>2</sup>	108	160	165	2,0	380	1,75	1.500,-
	3262	Ø159	Rustfast stål <sup>2</sup>	159	87	90	1,0	260	1,75	2.185,-
	3043	Ø159	Spiro <sup>5</sup>	159	160	-	1,0	160	0,80	330,-


90° bøjninger (stål) med stor bøjningsradius til materialetransport										
	Art.nr.	Dimension	Materiale	α	Ø	r	b	t	kg	Pris DKK
	3169	Ø76	Stål <sup>1</sup>	90°	76	175	150	2,9	3,0	1.575,-
	3266	Ø76	Rustfast stål <sup>2</sup>	90°	76	460	-	2,0	3,2	2.450,-
	3165	Ø108	Stål <sup>1</sup>	90°	108	250	150	3,6	6,5	2.255,-
	3303	Ø108	Rustfast stål <sup>2</sup>	90°	108	800	150	2,0	10,0	4.470,-
	3161	Ø159	Stål <sup>1</sup>	90°	159	375	150	4,5	15,3	3.230,-


Kontakt os venligst ved andre dimensioner.


### Noter


- 1) Stål 1311, forzinket.
- 2) Stål, rustfast ss2333/Grade 1.4301/DIN X 5 CrNi 1810/UNSS340400/AFNOR Z 6 CN 18,09/ANSI 304/BS 304515.
- 3) EPDM-gummi.
- 4) NBR-gummi.
- 5) Forstærket spirorør/bøjning/grenrør.
- 6) Til trange områder.

## Dustcontrol rørsystem – prisliste 2011

<b>45° bøjninger (gummi) – komplet med rørsamlinger</b>									
	Art.nr.	Dimension	Materiale	α	Ø	l	r	kg	Pris DKK
	307311	Ø50	EPDM <sup>3</sup>	45°	50,8	150	66	0,5	245,-
	3343	Ø50	Rustfast EPDM <sup>3</sup>	45°	50,8	150	66	0,5	330,-
	307312	Ø50	NBR <sup>4</sup>	45°	50,8	150	66	0,5	245,-
	300911	Ø76	EPDM <sup>3</sup>	45°	76	170	79	0,6	290,-
	3344	Ø76	Rustfast EPDM <sup>3</sup>	45°	76	170	79	0,6	380,-
	300912	Ø76	NBR <sup>4</sup>	45°	76	170	79	0,6	290,-
	302911	Ø108	EPDM <sup>3</sup>	45°	108	195	94	0,8	450,-
	3345	Ø108	Rustfast EPDM <sup>3</sup>	45°	108	195	94	0,8	545,-
	302912	Ø108	NBR <sup>4</sup>	45°	108	195	94	0,8	450,-

<b>45° bøjninger (stål)</b>									
	Art.nr.	Dimension	Materiale	α	Ø	l	r	kg	Pris DKK
	3317	Ø76	Stål <sup>1</sup>	45°	76	333	160	1,3	155,-
	3318	Ø76	Rustfast stål <sup>2</sup>	45°	76	333	160	1,3	350,-

<b>45° grenrør (gummi) – komplet med rørsamlinger</b>										
	Art.nr.	Dimension	Materiale	α	Ø1	Ø2	l	h	kg	Pris DKK
	307411	Ø50/50	EPDM <sup>3</sup>	45°	50,8	50,8	220	150	0,8	460,-
	3346	Ø50/50	Rustfast EPDM <sup>3</sup>	45°	50,8	50,8	220	150	0,8	520,-
	307412	Ø50/50	NBR <sup>4</sup>	45°	50,8	50,8	220	150	0,8	460,-
	300311	Ø76/76	EPDM <sup>3</sup>	45°	76	76	250	200	1,2	510,-
	3347	Ø76/76	Rustfast EPDM <sup>3</sup>	45°	76	76	250	200	1,2	640,-
	300312	Ø76/76	NBR <sup>4</sup>	45°	76	76	250	200	1,2	510,-
	303511	Ø108/108	EPDM <sup>3</sup>	45°	108	108	300	260	1,6	645,-
	3348	Ø108/108	Rustfast EPDM <sup>3</sup>	45°	108	108	300	260	1,6	830,-
	303512	Ø108/108	NBR <sup>4</sup>	45°	108	108	300	260	1,6	645,-


<b>45° grenrør (stål)</b>										
	Art.nr.	Dimension	Materiale	α	Ø1	Ø2	l	kg	Pris DKK	
	3003	Ø76/76	Stål <sup>1</sup>	45°	76	76	245	1,1	405,-	
	3199	Ø76/76	Rustfast stål <sup>2</sup>	45°	76	76	245	1,1	860,-	
	3149*	Ø159/159	Spiro <sup>5</sup>	45°	159	159	370	2,5	805,-	


\*) For nedgrening Ø159/108 anvendes reduktion 3308 og rørsamling 3045.


### Noter


- 1) Stål 1311, forzinket.
- 2) Stål, rustfast ss2333/Grade 1.4301/DIN X 5 CrNi 1810/UNSS340400/AFNOR Z 6 CN 18,09/ANSI 304/BS 304515.
- 3) EPDM-gummi.
- 4) NBR-gummi.
- 5) Forstærket spirorør/bøjning/grenrør.
- 6) Til trange områder.

## Dustcontrol rørsystem – prisliste 2011

Reduktioner (gummi/stål)									
	Art.nr.	Dimension	Materiale	Ø1	Ø2	l	t	kg	Pris DKK
	3305	Ø76/50	EPDM <sup>3</sup>	76	50,8	50	-	0,14	110,-
	3325	Ø76/50	NBR <sup>4</sup>	76	50,8	50	-	0,14	110,-
	3197	Ø80/76	Stål <sup>1</sup>	80	76	70	2,0	0,15	1.070,-
	3306	Ø108/76	EPDM <sup>3</sup>	108	76	55	-	0,25	145,-
	3326	Ø108/76	NBR <sup>4</sup>	108	76	55	-	0,25	145,-
	3327	Ø108/100	NBR <sup>4</sup>	108	100	35	-	0,06	145,-
	3307	Ø108/100	EPDM <sup>3</sup>	108	100	35	-	0,06	140,-
	3308	Ø159/108	EPDM <sup>3</sup>	159	108	70	-	0,72	350,-
	3328	Ø159/108	NBR <sup>4</sup>	159	108	70	-	0,72	340,-

Y-rør (stål)											
	Art.nr.	Dim.	Materiale	α	Ø1	Ø2	l	h	t	kg	Pris DKK
	3324	Ø50	Stål <sup>1</sup>	90°	50,8	50,8	150	175	1,5	0,42	430,-
	3331	Ø50	Rustfast stål <sup>2</sup>	90°	50,8	50,8	150	175	1,5	0,42	2.165,-
	3323	Ø76	Stål <sup>1</sup>	90°	76	76	190	195	1,5	0,68	505,-
	3330	Ø76	Rustfast stål <sup>2</sup>	90°	76	76	190	195	1,5	0,68	2.325,-
	3322	Ø108	Stål <sup>1</sup>	90°	108	108	235	225	2,0	1,40	735,-
	3329	Ø108	Rustfast stål <sup>2</sup>	90°	108	108	235	225	2,0	1,40	2.750,-
	3066	Ø159	Stål <sup>1</sup>	180°	159	159	850	505	4,5	2,30	4.915,-
	3067	Ø159	Stål <sup>1</sup>	0°	159	159	850	458	2,0	6,00	2.625,-

Endebunde (stål)					
	Art.nr.	Dimension	Materiale	Ø	Pris DKK
	3172	Ø50	Stål <sup>1</sup>	50,8	80,-
	3174	Ø76	Stål <sup>1</sup>	76	120,-
	3906	Ø108	Stål <sup>1</sup>	108	155,-

Rørsamlinger									
	Art.nr.	Dimension	Materiale	Ø	l	t	kg	Pris DKK	
	3077	Ø50	EPDM <sup>3</sup>	50,8	65	4,5	0,2	70,-	
	307702	Ø50	Rustfast EPDM <sup>3</sup>	50,8	65	4,5	0,2	90,-	
	3271	Ø50	NBR <sup>4</sup>	50,8	65	4,5	0,2	95,-	
	3007	Ø76	EPDM <sup>3</sup>	76	65	5,0	0,3	75,-	
	300702	Ø76	Rustfast EPDM <sup>3</sup>	76	65	5,0	0,3	110,-	
	3272	Ø76	NBR <sup>4</sup>	76	65	5,0	0,3	90,-	
	3031	Ø108	EPDM <sup>3</sup>	108	65	5,5	0,4	80,-	
	303102	Ø108	Rustfast EPDM <sup>3</sup>	108	65	6,5	0,5	110,-	
	3273	Ø108	NBR <sup>4</sup>	108	65	5,5	0,4	120,-	
	3045	Ø159	EPDM <sup>3</sup>	159	65	6,5	0,5	135,-	
	3274	Ø159	NBR <sup>4</sup>	159	65	6,5	0,5	180,-	

### Noter

- 1) Stål 1311, forzinket.
- 2) Stål, rustfast ss2333/Grade 1.4301/DIN X 5 CrNi 1810/UNSS340400/AFNOR Z 6 CN 18,09/ANSI 304/BS 304515.
- 3) EPDM-gummi.
- 4) NBR-gummi.
- 5) Forstærket spirorør/bøjning/grenrør.
- 6) Til trange områder.

Priserne er gældende fra 1.1.2011 • Priserne er pr. stk./m, ekskl. moms, ab lager Greve • Vi tager forbehold for fejl, mangler og ændringer